## Risk Assessment

Activity/Location Repair shop, Abbeyfield Park House, S4 7AY		
Date Assessed	Date for re-assessment	What 3 Words
September 2024	September 2025	cover.belt.frame
What is risk	Measures to reduce risk	Who is responsible
High Voltage Electricity	<ul> <li>Emergency off switch for all sockets</li> <li>Work on anything with voltage above 50V not to be carried out alone</li> <li>All volunteers who do electrical work are appropriately experienced</li> <li>CO<sub>2</sub> fire extinguisher available</li> </ul>	Gareth All repairers Coordinator Council
Shock from Capacitors	Capacitors are discharged before working on equipment	All repairers
Solvents	<ul> <li>Solvents are stored together in a labelled plastic box</li> <li>All volunteers are instructed to put solvents away after use</li> <li>Allow airflow into room when using solvents</li> </ul>	All repairers  Coordinator  All repairers
Trip Hazards	<ul><li>Room to be kept tidy</li><li>Volunteer training to include good housekeeping</li></ul>	Everyone Gareth
Power Tools / Soldering irons	<ul> <li>All volunteers to be trained in use of tools</li> <li>CO<sub>2</sub> fire extinguisher available</li> <li>First Aid kit available</li> </ul>	Gareth Council Gareth
Sharp Cutting Tools	<ul> <li>Stored with blades pushed into cork</li> <li>Stored together in labelled plastic box</li> <li>All volunteers are instructed to put sharp blades away after use</li> <li>First Aid kit available</li> </ul>	All repairers All repairers Co-ordinator Gareth
Members of public	<ul> <li>Advise to have a seat at front desk / sofa rather than enter working area</li> <li>Advised that children and animals need close supervision</li> </ul>	Co-ordinator Co-ordinator